

## **Swirl HEX**Oral Care Mouthrinse

Composition	Chlorhexidine Digluconate 0.2% w/v Sodium Fluoride 0.11% (500 ppm)
Uses	For use as a pre-procedural mouthrinse prior to the commencement of all patient treatment. As suggested by the ADA in their "Managing Covid-19 guidelines" document For use as a take home mouthrise between dental visits.
Advantages	<ul> <li>Ready to use solution, no additional preparation required.</li> <li>Swirl HEX can be used before, during and after dental procedures to sanitise the oral cavity</li> <li>Can also be given to patients as a take home mouthrinse</li> <li>Comes in a delicious mint flavour</li> </ul>
Contraindications	Do not dilute with water
Precautions	Do not swallow. Keep out of reach of children
Clinical Procedure	Dispense approximately 20 mL of mouthrinse into a disposable cup. Ask patient to swish around mouth for 20 to 30 seconds then spit out. If being used as a take home mouthrinse, use for 7-10 days.
Safety Directions	Avoid contact with eyes.
First Aid	For advice, contact a Poisons Information Centre (13 11 26 for Australia; 0800 764 766 for New Zealand) or a doctor (at once). If swallowed, do NOT induce vomiting. If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or at least 15 minutes.
Presentations	DL0820 - 200 mL bottle Mint flavour DL0828 - 5 L container Mint Flavour
Storage	Store in a cool, dry place. Store Below 25 °C
Shelf Life	2 years from date of manufacture as indicated on pack.