

SAFETY DATA SHEET

Endosure Hypocelle 4% Sodium Hypochlorite Solution

1. IDENTIFICATION

Product Name: Endosure Hypocelle 4% Sodium Hypochlorite

Product Codes: DL0612 - Endosure Hypocelle 4% 1.25L Cartridge Refill

DL0616 - Endosure Hypocelle 4% 500mL Dispenser Bottle

Recommended use: Endodontic irrigation solution.

Contact Information: Dentalife Australia Pty. Ltd.

Factory 9/505 Maroondah Highway Ringwood, VIC, 3134, Australia

Phone: +61 3 9879 1226

Emergency Telephone Number: +61 3 9879 1226

Poisons Information Centre: 24 hour, 7 days a week in an emergency call: 13 11 26

2. HAZARD IDENTIFICATION

Classification: Hazardous Chemical. Non -Dangerous Goods according to

WHS regulations and the ADG code

Poison Schedule: Not Applicable

Signal Word: DANGER

Label Elements: Pictograms

Hazard Classification: Skin irritation - Category 2

Eye damage - Category 1

Hazard Statement: H303 May be harmful if swallowed

H315 Causes skin irritation

H318 Causes serious eye damage

Precautionary Statements (Prevention): P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...



SAFETY DATA SHEET

P234 Keep only in original packaging. **P273** Avoid release to the environment.

Precautionary Statements (Response): P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/... P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

P304+P340 IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

Precautionary Statements (Storage): P403+P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal): P501 Dispose of contents/container to authorised hazardous

or special waste collection point in accordance with any local

regulation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Composition</u>	<u>CAS No.</u>	<u>Proportion %</u>
Sodium Hypochlorite	7681-52-9	2.0 - 5.0
Stabilising Agents	Not applicable	10 - 35
Surfactant	Not applicable	< 1
Purified water	-	> 59

4. FIRST AID MEASURES

Eye Contact: If this product comes in contact with the eyes:

Immediately hold eyelids apart and flush the eye continuously

with running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally

lifting the upper and lower lids.

Continue flushing until advised to stop by the Poisons Information

Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay.



SAFETY DATA SHEET

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact:

If skin or hair contact occurs:

Immediately flush body and clothes with large amounts of water, using safety shower if available.

Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.

Inhalation:

If fumes or combustion products are inhaled remove from contaminated area.

Lay patient down. Keep warm and rested.

Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.

Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs).

As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested.

Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered.

This must definitely be left to a doctor or person authorised by him/her.

Ingestion (swallowing):

For advice, contact a Poisons Information Centre or a doctor at once.

Urgent hospital treatment is likely to be needed.

If swallowed do **NOT** induce vomiting.

If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

Observe the patient carefully.

Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.

Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Product Name: Endosure Hypocelle 4% Sodium Hypochlorite Solution



SAFETY DATA SHEET

Establish a patent airway with suction where necessary.

Watch for signs of respiratory insufficiency and assist ventilation as necessary.

Administer oxygen by non-rebreather mask at 10 to 15 l/min.

Monitor and treat, where necessary, for pulmonary oedema.

Monitor and treat, where necessary, for shock. Anticipate seizures.

Where eyes have been exposed, flush immediately with water and continue to irrigate with normal saline during transport to hospital.

DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool. Skin burns should be covered with dry, sterile bandages, following decontamination.

DO NOT attempt neutralisation as exothermic reaction may occur.

5. FIRE FIGHTING MEASURES

Extinguishing media: There is no restriction on the type of extinguisher

which may be used.

Use extinguishing media suitable for surrounding area.

Fire Incompatibility: Unknown

Advice For Fire Fighters:

Fire/Explosion Hazard: Noncombustible.

Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.

HAZCHEM: Firefighters should wear positive pressure self-

contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or

stored.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: See section 8

Environmental precautions: See section 12

Methods and materials for containment and cleaning up

Minor Spills:

Drains for storage or use areas should have retention

basins for pH adjustments and dilution of spills before

discharge or disposal of material. Check regularly for spills and leaks. Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe



SAFETY DATA SHEET

up. Place in a suitable, labelled container for waste disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling.

Work clothes should be laundered separately. Launder

contaminated clothing before re-use. Use good occupational work

practice. Observe manufacturer's storage and handling

recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained. DO NOT allow

clothing wet with material to stay in contact with skin

Conditions for Safe Storage: Store at ambient temperature.

Original sealed containers provided by manufacturer.

Store in a cool, dry, well-ventilated area.


Store away from incompatible materials and foodstuff containers. Observe manufacturer's storage and handling recommendations

contained within this SDS

Environmental precautions: Do not allow product to reach sewers and rivers.

Other Precautions: Keep out of reach of children. Do not ingest. Avoid eye contact and contamination of food, and use according to directions on

container.



X – Must not be stored together

0 – May be stored together with specific preventions

+ - May be stored together



SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Health and Safety Commission (Australia).

Material Data: Sensory irritants are chemicals that produce temporary and undesirable side-effects on the eyes, nose or throat. Historically

occupational exposure standards for

these irritants have been based on observation of workers' responses to various airborne concentrations. Present day

expectations require that nearly every

individual should be protected against even minor sensory

irritation and exposure standards are established using uncertainty

factors or safety factors of 5 to 10 or

more. On occasion animal no-observable-effect-levels (NOEL) are

used to determine these limits where human results are

unavailable.

Personal Protection:











Eye and Face Protection:

Chemical goggles.

Full face shield may be required for supplementary but never for

primary protection of eyes.

Contact lenses may pose a special hazard; soft contact lenses may

absorb and concentrate irritants.

Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove

contact lens as soon as practicable. Lens should

be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence

Bulletin 59], [AS/NZS 1336 or national equivalent]

Skin Protection (Hands/Feet): Wear chemical protective gloves, e.g. PVC.

When handling corrosive liquids, wear trousers or overalls outside

of boots, to avoid spills entering boots.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands.



SAFETY DATA SHEET

After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

· Contaminated gloves should be replaced.

As defined in ASTM F-739-96 in any application, gloves are rated as:

- · Excellent when breakthrough time > 480 min
- \cdot Good when breakthrough time > 20 min
- · Fair when breakthrough time < 20 min
- · Poor when glove material degrades

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:

- Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of
- · Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential

Other Protection: Overalls.

PVC Apron.

PVC protective suit may be required if exposure severe.

Eyewash unit.

Ensure there is ready access to a safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, pale yellow/green solution

Odour: Characteristic odour, chlorine like

pH: >10.0

Boiling Point (°C):

Flash point:

Not available

Not available

Not flammable

Solubility:

100 % in water

Vapor Pressure: Aqueous solution

Vapor Density (air = 1):

Melting Point (°C):

Not available

Specific Gravity (@ 25°C): >1g/mL



SAFETY DATA SHEET

Evaporation rate (n-butane =1): Not available

10. STABILITY AND REACTIVITY

Reactivity: See section 7

Chemical Stability: Unstable in the presence of incompatible materials.

Product is considered stable.

Hazardous polymerisation will not occur.

Possibility of Hazardous Reactions: See section 7

Conditions to Avoid: See section 7

Incompatible Materials: See section 7

Hazardous Decomposition Products: See section 5

11. TOXICOLOGICAL INFORMATION

Inhaled: Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial

number of individuals, following inhalation.

The material has **NOT** been classified by EC Directives or other classification systems as "harmful by inhalation".

Ingestion:

The material can produce chemical burns within the oral cavity and

gastrointestinal tract following ingestion.

The material has **NOT** been classified by EC Directives or other classification systems as "harmful by ingestion". Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought

to be cause for concern.

Skin: The material can produce chemical burns following direct contact

with the skin.

Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts abraded or irritated skin should not be exposed to this material. Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use



SAFETY DATA SHEET

of the material and ensure that any external damage is suitably protected.

Eye: The material can produce chemical burns to the eye following direct

contact. Vapours or mists may be extremely irritating.

Chronic: Repeated or prolonged exposure to corrosives may result in the

erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures

may result in dermatitis and/or conjunctivitis.

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic

problems.

Limited evidence suggests that repeated or long-term occupational

exposure may produce cumulative health effects involving

organs or biochemical systems.

Acute Toxicity: Not available

Skin Irritation/Corrosion: Irritation, redness, itchiness

Serious Eye Damage/Irritation: Not available

Respiratory or Skin sensitisation: Not available

Mutagenicity:Not availableCarcinogenicity:Not available

Reproductivity: Not available

Aspiration Hazard: Not available

12. ECOLOGICAL INFORMATION

This product has not known ecological hazardous effects.

Ecotoxicity: Harmful to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

Persistence and Degradability: No data available

Biodegradability: The sodium hypochlorite is readily broken down by environmental

factors to a dilute solution of sodium chloride

(salt).

Bioaccumulation Potential: No data available

13. DISPOSAL CONSIDERATIONS



SAFETY DATA SHEET

Disposal Method: Dispose of in accordance with all local, state and federal

regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or

recycled/reconditioned at an approved facility.

Disposal of Contaminated Packaging: Recycle /reconditioned at an approved facility.

Environmental Regulations: Not relevant

14. TRANSPORT INFORMATION

Road and Rail Transport: Not classified as Dangerous Goods by the criteria of the "Australian"

Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Marine Transport: Not classified as Dangerous Goods by the criteria of the

International Maritime Dangerous Goods Code (IMDG Code) for

transport by sea.

Air Transport: Not classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport

by air.

15. REGULATORY INFORMATION

SUSDP Poisons Schedule: Schedule 5

Product is regulated by the TGA in Australia. This product complies under ARTG- No: 160242.

16. OTHER INFORMATION

Product is considered safe if used as intended. Product is intended for professional dental use only.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. No warranty, either expressed or implied, is made with respect to the information or the product to which the information refers. Each user must review this MSDS in the context of how the product will be handled and used in the workplace.

End of document